

CERTIFICATE OF COMPLIANCE



EL Class I

Date of issue: 24 February 2026

Valid until: 31 December 2027

EHEDG hereby declares that the product

Mixproof valve types B925, B925A, B925B and B925V, sizes DN25, DN32, DN40, DN50, DN65, DN80, DN100 - and 1", 1 1/2", 2", 2 1/2", 3", 4" with EPDM, FKM or HNBR gaskets EPDM, FKM or HNBR gaskets

from

Bardiani valvole, G. Di Vittorio 50/52 , 43045 Forno Taro, Italy

has/have been evaluated for compliance and meets/meet the current criteria for Hygienic Equipment Design of closed process applications of the EHEDG

Certificate No. EHEDG-C2600010

Signed _____ *Hein Timmerman* _____ *President EHEDG*

Signed _____ *Karlijn Faber* _____ *EHEDG Certification Officer*

*EHEDG
Karspeldreef 8
1101 CJ Amsterdam
Netherlands*

©EHEDG



APPENDIX 3 EHEDG Certification – Equipment Evaluation Form

Design Evaluation Date: 10.10.2024

EHEDG File Number: EHEDG-R2400024

Certification Type: EL CLASS I

Applicant: Bardiani Valvole, S.p.A

Equipment: *Mixproof valve types B925, B925A, B925B and B925V, sizes DN25, DN32, DN40, DN50, DN65, DN80, DN100 - and 1", 1 ½", 2", 2 ½", 3", 4" with EPDM, FKM or HNBR gaskets EPDM, FKM or HNBR gaskets*

]

Other essential identification:

Evaluated by:

20006744X

Name: Irene Llorca

Firmado digitalmente por
20006744X MARIA
IRENE LLORCA
(C:G46421988)
Fecha: 2026.02.09
18:09:32 +01'00'

Date, Signature: _____

Approved by:

Name: Nicolás Rossi

Date, Signature: 11/02/2026

The use of the EHEDG Certification logo is justified based on the results of the design evaluation, inspection, and testing (as applicable) of the equipment for compliance with the current EHEDG Hygienic Design Criteria (HDC):

Criteria	Certification for use in Closed Processes
<input type="checkbox"/>	The equipment complies with all applicable HDC in the Guidelines.
<input checked="" type="checkbox"/>	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2.
<input type="checkbox"/>	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2, in-place sterilisability test method according to EHEDG Doc. 5, and bacteria tightness test according to EHEDG Doc. 7 for EL ASEPTIC Certification.
Criteria	Certification for use in Open Processes
<input type="checkbox"/>	The equipment complies with all applicable HDC in the Guidelines.
<input type="checkbox"/>	Evidence for compliance required and provided by OPC cleanability test method according to EHEDG Doc. 57.

The original of this form will be kept by EHEDG together with the application, the evaluation report, the evidence provided and any other relevant documentation, as listed on the back.

APPENDIX 3

No.	Description
1.	EHEDG Certificate of Compliance
2.	Contract to use the EHEDG Certification Logo for equipment
3.	Appendix 1: Equipment intended for cleaning-in-place with liquids without dismantling
4.	Appendix 2: conditions for use of the EHEDG Certification Logo
5.	Appendix 3: Equipment evaluation form
6.	Evaluation report of the design of the mixproof valve types <i>B925, B925A, B925B and B925V, sizes DN25, DN32, DN40, DN50, DN65, DN80, DN100 - and 1", 1 ½", 2", 2 ½", 3", 4" with EPDM, FKM or HNBR gaskets EPDM, FKM or HNBR gaskets, n° 24-P00428</i>
7.	Drawing of the Mixproof valve type B925, drawing n° 19990, n° 5064, and n° 12516 original stamped
8.	In place cleanability assessment report of mixproof valve type B925, n° 24-P00428 (8/02/26)
9.	In place cleanability assessment report of mixproof valve type B925, n° 17-P00325 (25/03/2019)
10	Cleaning and installation manual (excerpt) number EN-IST-B925-0126 supplied by the manufacturer
11	Example of EHEDG Certified Logo Type EL CLASS I